



POWERFUL **STIMULUS** FOR THE VITALITY OF YOUR ANIMALS

IT HAS NO ANALOGUES IN TERMS OF EFFICIENCY!

in 1 ml [vitamins and vitamin-like substances; amino acids, mineral substances, other biologically active components, methylparaben, propylparaben, propylene glycol, sodium nucleate.

>200 BIOLOGICALLY ACTIVE SUBSTANCES

- Mobilizes internal vitality. Works even in hopeless situations
- Increases the body's resistance to internal and external causes of diseases
- Accelerates recovery, minimizes the risk of the disease becoming chronic
- Stimulates the growth and development of young animals. Particularly effective for hypotrophic animals
- Acts as an immune stimulant



For all animal species



Works immediately after administration into the body



Subcutaneous or intramuscular administration for best results

POWERFUL **STIMULUS** FOR THE VITALITY OF YOUR ANIMALS


SCHEME OF DRUG USE (intramuscular injections)

IT HAS NO ANALOGUES IN
TERMS OF EFFICIENCY!


ADULT AND YOUNG ANIMALS



To increase the immune response to vaccines
3-5 ml/100 kg (adults), 0.5-5 ml/animal (young animals):




For the prevention of stress 3-5 ml per 100 kg (adults),
0.5-5 ml per animal (young animals):



In case of feeding disorders, hypovitaminosis, bacterial infections, parasitic diseases


5-10 ml per 100 kg:




For viral diseases, 3-10 ml per animal (young animals),
and 5-10 ml per 100 kg (adult animals)
once a day during treatment and in combination
with the disease treatment regimen.

ADULT ANIMALS


3-5 ml per 100 kg once a day



To stimulate oestrus (heat):



To increase fertility:



To prevent postpartum pathology:



To increase fetal weight: 1-3 times a month in the
first half of pregnancy

For the prevention of metabolic disorders and weight loss: during lactation 1-3 times a month
throughout the entire period

YOUNG ANIMALS

0.5-5 ml per animal once a day




For the prevention of metabolic disorders

and weight loss: during lactation 1-3 times a month
throughout the entire period



To increase weight gain - once, or:



If necessary, the course can be repeated every month

Produced by:

 **BioTestLab®**

Tel.: +38 044 33 999 61 | biotestlab.ua

