

VETERINARY PRODUCTS FOR PETS



 **THE KEY TO ANIMAL HEALTH**



LEADERSHIP STRATEGY: FROM LOCAL TO GLOBAL

BIOTESTLAB — specializes in the development, manufacturing, and marketing of veterinary drugs both in Ukraine and abroad. Our goal is to become a global leader and establish Ukraine as a key supplier of veterinary drugs worldwide.

\$ 25+M

Investments in
development,
2021-2024

36

years of experience

330+

employees

**TOP
20**

in the world by
product range

20+

export
countries



TABLE OF CONTENTS

DROPS FOR EXTERNAL USE

• TOBRANORM	4
• CIPROX	5
• OTO LOTION	6
• CIPRONORM	7
• OTOFLOX	8

UROLOGICAL DRUGS

• PHYTOCAT	9
------------------	---

SEDATIVES

• ANTISTRESS	10
--------------------	----

REGULATION OF SEXUAL CYCLE

• ANTILACT	11
------------------	----

SEDATIVE DRUGS

• RELAX	12
---------------	----

ANTIEMETICS

• MAROX	14
---------------	----

HEPATOPROTECTORS

• GEPAX	16
• HEPACARNITOL	18

VITAMINS AND AMINO ACIDS

• AMINOVITOL	19
--------------------	----

VITAMINS AND IMMUNOSTIMULANTS

• L-CYN	20
• STIMULUS	21

DRUGS FOR EXTERNAL TREATMENT

• FLOXY-SPRAY MAX	22
-------------------------	----

ANTIBIOTICS

• CIPROCOLIN	23
• CEFTIFUR-50	24
• SPECTRAN	25

NEW

TOBRANORM

WHEN OLD FORMULATIONS DON'T WORK

Tobramycin 0.3%



Release form: 10 ml




Treatment of infectious and inflammatory eye diseases of bacterial etiology


**in 1 ml:
tobramycin, 3 mg**




**Drip
1-2 drops**



**2-3 times a day
for 7-10 days**



**Pronounced
antimicrobial effect**



**Painless
treatment**

NEW

CIPROX

POWERFUL ACTION - FOR HEALTHY EYES AND EARS

Ciprofloxacin solution



Release form - 10 ml




High concentration of the active substance – for effective treatment of infectious and inflammatory diseases of the eyes and ears

in 1 ml:
ciprofloxacin - 5 mg




Drip
1-2 drops



2-3 times a day
for 5-7 days



Pronounced
antimicrobial effect



Painless
treatment

OTO LOTION

EAR HYGIENE CHAMPION

Care starts with prevention

in 100 ml
benzalkonium chloride – 0,5 g
allantoin – 0,1 g
calendula tincture – 10,0 g
tee tree oil – 0,05 g



has an antimicrobial effect



relieves inflammation



eliminates itching

Removes old dirt

Reduces the number of dead cells



Dries the ear canal

Significantly improves the microflora of the ears

Release form - 30 ml, 100 ml



Drip 1-5 ml, massage the ear for 15-30 seconds



Leave the product in the ear for 1-2 minutes



Wipe with a cotton swab dipped in lotion



In the treatment of otitis: 1-2 times a day for 7-14 days

CIPRONORM

DOUBLE EFFECT IN THE TREATMENT OF EYES AND EARS

Ciprofloxacin + dexamethasone, suspension



Release form - 10 ml

Treatment of otitis and conjunctivitis of bacterial and allergic origin

in 1 ml:
ciprofloxacin - 5 mg
dexamethasone - 1 mg



Drip
1-2 drops



2-3 times a day
for 5-7 days



Pronounced
antimicrobial effect



Relief of the acute phase
of inflammation
within 24 hours



Economic
use

OTOFLOX

AN INTEGRATED APPROACH TO THE TREATMENT OF OTITIS OF VARIOUS ETIOLOGIES



Antiparasitic
(ivermectin)



Antimicrobial
(florfenicol)



Antifungal
(clotrimazole)



Anti-allergic
(betamethasone)




Release form - 10 ml



Clean the ear



Be sure to
drip into
both ears



2 times a day
for 5-10 days



Fast and powerful action



Economic use



Stays in the ear



PHYTOCAT



NATURE IN KIDNEY PROTECTION



Aerva lanata (polpala) - 25 mg
Antiseptic and diuretic effect,
reduction of urea level and
removal of sand



Knotweed - 12.5 mg
Diuretic and anti-inflammatory
effect, improves the condition
of capillary walls



Bearberry, leaves - 5 mg
Diuretic,
anti-inflammatory
and saluretic effect



Horsetail grass - 7,5 mg
Diuretic,
anti-inflammatory and
hemostatic effect

- High concentration of active substances
- No side effects compared to synthetic drugs
- One package per course of treatment
- The kit includes a syringe dispenser

PREVENTION

2-4 ml per animal
Once a day
For 7-10 days
Every 3 months

TREATMENT

2-4 ml per animal
2 times a day.
The course is 3 weeks



Release form - 30 ml, 50 ml, 100 ml

ANTISTRESS

CALM PET - CALM OWNER

In 1 ml: phenibut - 100 mg

PRONOUNCED STRESS-CORRECTING EFFECT IN CASE OF:

- 🐾 fears, aggression
- 🐾 feeling of anxiety during transportation, loud noises, separation from the owner and other everyday situations
- 🐾 increased sexual arousal

Normalization of metabolic processes in the central nervous system due to nootropic activity

Drip into the mouth:

cats – 1 drop per 1 kg of b. w.

dogs – 2 drops per 1 kg of b. w.

No more than 2 times a day!

The course of treatment is 10-15 days.

One bottle per course (for animals up to 5 kg)

Stress prevention:

3-5 days before the event and 1-4 days after



ANTILACT

STOP LACTATION WITHOUT HORMONES

In 1 ml: cabergoline - 50 mcg

- 💧 Non-hormonal drug
- 💧 Eliminates signs of pseudo-pregnancy
- 💧 Stops lactation in a short time
- 💧 Prevents the development of lactation mastitis
- 💧 Normalizes the psycho-emotional state


CONVENIENT
DROP-BY-DROP
DOSING



Orally on the root
of the tongue



3 drops per
1 kg of body weight



1 time per day
for 4-6 days



RELAX

MILD ANESTHESIA - DOCTOR'S CALM

ADVANCED FORM PROPOFOL 1%: CLEAR COLLOIDAL SOLUTION



- EASY ADMINISTRATION, FAST ACTION
- AFTER OPENING THE BOTTLE, THE SHELF LIFE IS 28 DAYS
- ABSENCE OF A GAG REFLEX
- WITHOUT EXCITATION STAGE

Dosage: bolus without premedication
cats: 0.6-0.8 ml/kg b.w.
dogs: 0.4-0.65 ml/kg b.w.



Release form - 10 ml, 50 ml

RELAX is a sterile colloidal apyrogenic solution of propofol 1% for intravenous administration. It is administered to cats and dogs for short-term general anesthesia, for induction and maintenance of general anesthesia.

The preservatives added to RELAX ensure the safety of the sterile solution for up to 28 days after opening the vial.

In practice, to achieve adequate anesthesia, the dose of RELAX should be adjusted depending on the animal's response to the drug administration. Intravenous administration is carried out using both jet infusion and drip methods. For more accurate dosing, RELAX can also be dissolved in 0.9% sodium chloride solution in a ratio of 1:4 before administration. When using premedication, the dose of RELAX is reduced.

In addition to surgical intervention, RELAX is used

- in providing medical care for injuries;
- in dentistry (tooth extraction, tartar removal);
- during ultrasound, X-ray diagnostics, CT, MRI.

In 2017, RELAX underwent a clinical trial on target animals (dogs, cats) conducted by the State Research Institute of Veterinary Drugs and Feed Additives in veterinary clinics (Lviv). The study showed that RELAX is an effective and safe agent for short-term anesthesia in cats and dogs during surgery.

RECOMMENDED PROTOCOL FOR USING RELAX WITH PREMEDICATION

Premedication			
Animal species	Sedazine 2%	Meditin 0.1%	Zoletil 100
Cats	0.1 - 0.15 ml per kg b.w.	0.05 - 0.15 ml per 5 kg of b.w.	0.05 - 0.1 ml per kg b.w.
Dogs	0.1 - 0.15 ml per kg b.w.	0.1 - 0.2 ml per 10 kg of b.w.	0.05 - 0.1 ml per kg b.w.

RELAX	
Cats: 0.12 ml per 1 kg of body weight	Dogs: 0.1 ml per 1 kg of body weight

RELAX is compatible with drugs used for premedication, muscle relaxants, inhalation anesthetics and analgesics. No adverse pharmacodynamic interactions have been noted.

Postoperative analgesia can be provided with NSAIDs.

NEW

MAROX

**QUICK VOMITING CONTROL
WHEN IT MATTERS NOW**



Release form: 10 ml, 20 ml

INDICATIONS FOR USE:

- Treatment and prevention of nausea in dogs and cats, including those caused by chemotherapy
- Treatment of vomiting in conjunction with other supportive measures
- Preventing postoperative nausea and vomiting while enhancing recovery after general anesthesia

Treatment and prevention of nausea and vomiting in dogs and cats


Composition:
in 1 ml: Maropitant, 10 mg
(injection solution)

- Blocking neurokinin receptors that cause vomiting
- Noticeable effect in 30-60 minutes – ideal for emergencies
- The therapeutic effect lasts for up to 24 hours
- Reliable control of postoperative nausea and nausea caused by chemotherapy
- Flexible administration and convenient dosing
- No sedative effects
- It has an analgesic effect

Application	Treatment		Prevention
Species and age of animals	Dogs 2-4 months old	Dogs and cats from 4 months and older	Dogs and cats from 4 months and older
Dosage and route of administration	1 mg per 1 kg b.w. (1 ml per 10 kg b.w.) SC*	1 mg per 1 kg b.w. (1 ml per 10 kg b.w.) SC* or IV**	1 mg per 1 kg b.w. (1 ml per 10 kg b.w.) SC* or IV**
Treatment course	Once a day for up to five days in a row		60 minutes before administering a drug that may cause vomiting

*When administering the drug subcutaneously

**Intravenous administration should be carried out within 1-2 minutes, without mixing the drug with other solutions




Use chilled
*when administering
subcutaneously



Subcutaneously
or intravenously



1 mg
per 1 kg b.w



Once a day
for up to five days in a row

GEPAX

Injectable hepatoprotector for
dogs and cats based on ademetionine



Composition:

- Lyophilizate – S-Adenosyl-L-Methionine (S-AdoMet, Ademetionine)
- Solvent – L-Carnitine, excipients

Indications for use:

- prevention and treatment of dogs and cats with acute or chronic diseases of the liver, gallbladder, biliary tract
- concomitant therapy for infectious, invasive and oncological diseases



PROVIDES ENERGY TO LIVER CELLS, LAUNCHING MECHANISMS FOR RESTORING ITS STRUCTURE AND ALL FUNCTIONS

- Protects the liver from toxins
- Rebuilds the structure of hepatocytes
- Restores cell energy

CONVENIENT DOSAGE

up to 10 kg



GEPAX 100

SAMe (ademetionine) – 190 mg/bottle

10-20 kg



GEPAX 200

SAMe (ademetionine) – 380 mg/bottle

prepare the solution
immediately before
use



intravenously
intramuscularly
subcutaneously



1 time per day
for 5-10 days

HEPACARNITOL

COMPLEX HEPATOPROTECTOR WITH EASY APPLICATION



Release form - 10 ml

- ◆ Protects hepatocytes from toxins and accelerates their regeneration
- ◆ Improves metabolic processes in the liver
- ◆ Prevents fatty degeneration
- ◆ Boosts immunity



up to 10 kg: 10 drops
(0.5 ml)/animal
from 10 kg: 20 drops
(1 ml)/animal



10 drops (0.5 ml) /
animal

10 drops (0.5 ml) /
0.5 water




1 time per day,
for 7-10 days

COMPOSITION

In 1 ml of feed additive:

carnitine hydrochloride - 25 mg
DL-methionine - 10 mg
choline chloride - 18.75 mg
magnesium sulfate - 10 mg
sorbitol - 200 mg
cynarin (artichoke extract) - 5 mg



AMINOVITOL

BALANCED VITAMIN FORMULA FOR YOUR PETS



Release form - 10 ml

COMPOSITION

In 1 ml of feed additive:

Vitamin A - 2500 IU
Vitamin B₁ - 1.2 mg
Vitamin B₂ - 4.5 mg
Vitamin B₆ - 2.5 mg
Vitamin B₁₂ - 0.01 mg
Vitamin C - 30 mg
Vitamin D₃ - 2250 IU
Vitamin E - 10 IU
Vitamin K₃ - 4.5 mg
Folic acid - 0.25 mg
Pantothenic acid - 9 mg
Biotin - 0.05 mg
Nicotinamide - 22 mg
Choline chloride - 50 mg
Methionine - 10 mg
Arginine - 10 mg
Leucine - 12 mg
Threonine - 2 mg
Tryptophan - 6 mg
Lysine - 50 mg
Valine - 22 mg
Isoleucine - 8 mg
Phenylalanine - 10 mg
Histidine - 6 mg

- ◆ Replenishes amino acid and vitamin deficiency
- ◆ Supports the body in stressful situations
- ◆ Promotes rapid recovery after treatment



up to 10 kg: 10 drops
(0.5 ml)/animal
from 10 kg: 20 drops
(1 ml)/animal



10 drops (0.5 ml) /
animal

10 drops (0.5 ml) /
0.5 water



1 time per day,
for 7-10 days

L-CYN

GIVE ENERGY AND GROWTH

BUTAFOSFAN

Resistance to stress
by reducing cortisol levels,
improves blood glucose utilization -
releasing ENERGY

L-carnitine/B₁₁

Enhances the transport of
fatty acids into mitochondria,
stimulates energy conversion

B₁₂

Normalization of the
hematopoiesis process

B₃

Coenzymes – Energy for
Cells and Tissues

Dosage: Dogs, cats, rabbits, rodents –
intramuscular, subcutaneous, or
intravenous administration
0.5-2.5 ml per animal



Release form - 10 ml, 100 ml

STIMULUS

ACTIVATE YOUR PET'S VITAL ENERGY!

Per 1 ml: Sodium Nucleinate, Vitamins and Vitamin-like Substances; Amino Acids, Minerals, Other Biologically Active Components

= 200

BIOLOGICALLY ACTIVE SUBSTANCES



For All Animal Species



Subcutaneously, Intravenously



Orally with water



Release form - 10 ml, 100 ml



Antioxidant and Antihypoxic Properties



Protects the body from stress



Reduces recovery time

- Stimulation of All Physiological Processes in the Body
- As a supportive agent in the postoperative period
- Restoration of metabolic processes during stress, infections, invasions, and poisoning
- For young animals – to enhance growth and improve development
- For exhausted and weakened animals – for rapid recovery
- For older animals – to maintain vitality

Dosage:



1 ml/kg b.w., max no more than 20 ml per animal

FLOXY-SPRAY MAX

Wound healing and anti-inflammatory agent for non-productive animals

DOES NOT PAINT,
BUT TREATS



Long-lasting effect
on affected areas



Convenience and
cost-effectiveness



Release form – 9 ml, 30 ml,
50 ml, 100 ml

FLORFENICOL 2.5 g

has a bacteriostatic effect on
gram-positive and gram-negative bacteria



PREDNISOLONE 0.1 g

Has anti-inflammatory,
anti-allergic, and anti-exudative effects

Treatment of dermatitis of any etiology (except fungal), paronychia, pyoderma, and eczema. Also suitable for use on traumatic and surgical wounds (including after sterilization), scratches, bites, ulcers, and open abscesses.

CIPROCOLIN

MODERN ORAL ANTIBIOTIC POWDER FOR SUSPENSION PREPARATION

DOUBLE POWER

max concentration in tissues - after 1 hour

ciprofloxacin
100 mg/1 g

colistin
1,000,000 IU/1 g



oral
cavity



respiratory
organs



urogenital
system



otitis,
conjunctivitis



bites,
infections



GIT

100 ml of prepared suspension is enough for a 5-day treatment course for a dog weighing 20 kg.

Dosage: 1 ml/1 kg body weight

- Convenience and accuracy of use – thanks to the dosing syringe
- Pleasant meat taste and aroma – well accepted by animals
- Just one dose per day – simplifies the treatment process for the owner
- Can be added to food




Release form - 100 ml

CEFTIFUR-50

COMPLEX CASES REQUIRE MODERN SOLUTIONS

In 1 ml: ceftiofur – 50 mg



Release form – 10 ml, 100 ml

SPECTRAN

UNIQUE COMBINATION FOR EFFECTIVE TREATMENT

Amoxicillin + betamethasone



Composition:

1 ml of the drug contains active ingredients:

Amoxicillin trihydrate - 150 mg

Betamethasone dipropionate - 0.5 mg

excipients

antibiotic

acts on gram-positive and gram-negative bacteria

antibacterial effect

synthetic hormone

of the adrenal cortex

• anti-inflammatory effect

• anti-allergic effect

Method of administration and dosage:

intramuscularly or subcutaneously
once in a dose:

1.0 ml of the drug per 10 kg
of the animal's body weight.

If necessary, the drug
is administered again after 48 hours.

INFLAMMATION



Release form – 10 ml, 100 ml



Ready-to-use suspension
for injection



Subcutaneously or
intramuscularly



RECOMMENDED TREATMENT

SURGERY

STIMULUS



Stimulation of the immune system before surgery

MAROX



Prevention of nausea and vomiting

RELAX



Non-inhalation anesthesia

FLOXY-SPRAY MAX



Postoperative treatment

CEFTIFUR-50



SPECTRAN



CIPROCOLIN



HEPACARNITOL



L-CYN



Antibiotic therapy and inflammation relief

Body recovery

OTITIS

OTO LOTION



Ear cleaning

OTOFLOX



CIPRONORM



CIPROX



CIPROCOLIN



Local treatment for inflammations

Antibiotic therapy

CONJUNCTIVITIS

CIPRONORM



CIPROX



TOBRANORM



Local treatment for inflammation

PREVENTION OF NAUSEA

MAROX



Prevention of nausea and vomiting

TREATMENT OF ANIMALS

GENERAL BODY DISEASES

STIMULUS



CEFTIFUR-50



SPECTRAN



CIPROCOLIN



Stimulation of the immune system

Antibiotic therapy and inflammation relief

HEPACARNITOL



AMINOVITOL



L-CYN



Body recovery

NERVOUS SYSTEM

UROLOGY

ANTISTRESS



Stress relief

PHYTOCAT



CEFTIFUR-50



CIPROCOLIN



Antibiotic therapy and inflammation relief

ENDOCRINOLOGY

LIVER DISEASE

ANTILACT



Pseudopregnancy

GEPAX



Hepatoprotector injectable

HEPACARNITOL



Hepatoprotector oral



COOPERATION
WITH BIOTESTLAB

